

Labor für Spezielle Hämatologie
im Centrum für Laboratoriumsmedizin

Ebene 05 OST

Raum 167 – 170 bzw. 131 (Notfall-Labor)

Pädiatrische Hämatologie und Onkologie, Medizinische Klinik A
Universitätsklinikum Münster
Albert-Schweitzer-Campus 1, Gebäude A1
48149 Münster

please use only this address for shipment!

Shipment form for **immune reconstitution** evaluation and **Rituximab pharmacokinetic** study

Please note: before sending material (blood, serum), the informed consent for research studies must be signed by patient/guardian(s)

Patient (clinic label if available)	Treatment arm (please mark): <input type="checkbox"/> R1 <input type="checkbox"/> R2 <input type="checkbox"/> R3 <input type="checkbox"/> one dose <input type="checkbox"/> seven doses Rituximab <input type="checkbox"/> R4 <input type="checkbox"/> one dose <input type="checkbox"/> seven doses Rituximab <input type="checkbox"/> R4 CNS+ <input type="checkbox"/> one dose <input type="checkbox"/> seven doses Rituximab		
Hospital stamp <hr/> Physician's name (block letters) <hr/> <hr/>	Timepoint of evaluation (please mark): <input type="checkbox"/> before start of treatment <input type="checkbox"/> after Rituximab window / prephase <input type="checkbox"/> before 2 nd course <input type="checkbox"/> before 5 th course <input type="checkbox"/> 6 months after start of treatment <input type="checkbox"/> 12 months after start of treatment <input type="checkbox"/> 18 months after start of treatment <input type="checkbox"/> 24 months after start of treatment <input type="checkbox"/> ___ months after start of treatment		
Start of treatment (dd/mm/yy) <input type="text"/> <input type="text"/> <input type="text"/> Last Rituximab infusion (dd/mm/yy) <input type="text"/> <input type="text"/> <input type="text"/>	Leukocyte count (x 10⁹/l) : _____		
Material	Investigation	Amount	Date of sampling (dd/mm/yy)
<input type="checkbox"/> peripheral blood (EDTA)	Lymphocytes populations, immune function	10 ml	
<input type="checkbox"/> Serum (centrifuged if possible)	Immunoglobulin level, vaccination titers, Rituximab pharmacokinetics	10 ml	
<input type="checkbox"/> blood smear slide (EDTA)	manual differentiation	2 slides	

All samples should be send at room temperature by overnight shipment!

If a sample is drawn on Friday or during the weekend please store at 8°C to 12°C and send it on Monday.